

Thursday, June 17, 2010 4:21:54 PM

PmpCon_C600c_1-11_ENET_01-00

Pump Control HMI Report w/Screen

Pump Control

TAG REPORT

External Tags

Tag Name	Data Type	Address	Controller	Description
CMD_CURRNT_SCRN_NMBR	16 bit Integer	B240:4	PLC-1	-
9_CMD_NODE_ENABL	Boolean	B240:0/9	PLC-1	Enable Node # 9
9_STS_NODE_ENABLED	Boolean	B239:9/0	PLC-1	Node #9 Enabled (=1)
9_STS_NODE_STS	16 bit Integer	B239:9	PLC-1	Node #9 Status Word
10_CMD_NODE_ENABL	Boolean	B240:0/10	PLC-1	Enable Node # 10
10_STS_NODE_ENABLED	Boolean	B239:10/0	PLC-1	Node #10 Enabled (=1)
10_STS_NODE_STS	16 bit Integer	B239:10	PLC-1	Node #10 Status Word
11_CMD_NODE_ENABL	Boolean	B240:0/11	PLC-1	Enable Node # 11
11_STS_NODE_ENABLED	Boolean	B239:11/0	PLC-1	Node #11 Enabled (=1)
11_STS_NODE_STS	16 bit Integer	B239:11	PLC-1	Node #11 Status Word
12_CMD_NODE_ENABL	Boolean	B240:0/12	PLC-1	Enable Node # 12
12_STS_NODE_ENABLED	Boolean	B239:12/0	PLC-1	Node #12 Enabled (=1)
12_STS_NODE_STS	16 bit Integer	B239:12	PLC-1	Node #12 Status Word
13_CMD_NODE_ENABL	Boolean	B240:0/13	PLC-1	Enable Node # 13
13_STS_NODE_ENABLED	Boolean	B239:13/0	PLC-1	Node #13 Enabled (=1)
13_STS_NODE_STS	16 bit Integer	B239:13	PLC-1	Node #13 Status Word
14_CMD_NODE_ENABL	Boolean	B240:0/14	PLC-1	Enable Node # 14
14_STS_NODE_ENABLED	Boolean	B239:14/0	PLC-1	Node #14 Enabled (=1)
14_STS_NODE_STS	16 bit Integer	B239:14	PLC-1	Node #14 Status Word
15_CMD_NODE_ENABL	Boolean	B240:0/15	PLC-1	Enable Node # 15
15_STS_NODE_ENABLED	Boolean	B239:15/0	PLC-1	Node #15 Enabled (=1)
15_STS_NODE_STS	16 bit Integer	B239:15	PLC-1	Node #15 Status Word
16_CMD_NODE_ENABL	Boolean	B240:0/16	PLC-1	Enable Node # 16
16_STS_NODE_ENABLED	Boolean	B239:16/0	PLC-1	Node #16 Enabled (=1)
16_STS_NODE_STS	16 bit Integer	B239:16	PLC-1	Node #16 Status Word
STS_PCSCRN_OPER	Boolean	B228:5/0	PLC-1	Screen Mode Operator Oper(=1)/Prog(=0)
STS_PCSCRN_PROG	Boolean	B228:5/1	PLC-1	Screen Mode Program Oper(=0)/Prog(=1)
STS_PCSCRN_PROG_PRS	Boolean	B228:5/2	PLC-1	Screen Mode Program AND Pressure Control Enabled
STS_PCSCRN_PRG_MANSP	Boolean	B228:5/3	PLC-1	Screen Mode Program AND Manual Setpoint Enabled
STS_PCSCRN_OPER_DFLT	Boolean	B228:5/4	PLC-1	Screen Mode Operator AND Drv Faulted=1
STS_PCSCRN_OPER_PFLT	Boolean	B228:5/5	PLC-1	Screen Mode Operator AND Pump Faulted
STS_PCNDSTS_RSPNDING	Boolean	B228:6/1	PLC-1	Displayed Drive Responding (=1)

STS_PCSTS_FAULT	Boolean	B228:8/7	PLC-1	Faulted (=1)
STS_PCFAULT_CODE	16 bit Integer	B228:9	PLC-1	Fault Code
STS_PCCND_READY	Boolean	B228:28/0	PLC-1	Pump Ready
STS_PCCND_RUN	Boolean	B228:28/1	PLC-1	Pump Running
STS_PCCND_BOOST	Boolean	B228:28/2	PLC-1	Pump Boosting Pressure
STS_PCCND_SLEEP	Boolean	B228:28/3	PLC-1	Pump in Sleep Mode
STS_PCCND_LOFLO	Boolean	B228:28/4	PLC-1	Low/No-Flow Condition Detected
STS_PCCND_DRYPMP	Boolean	B228:28/5	PLC-1	Dry Pump Condition Detected
STS_PCCND_RUNOUT	Boolean	B228:28/6	PLC-1	Run-Out Condition Detected
STS_PCCND_PMPFLT	Boolean	B228:28/7	PLC-1	Pump Faulted
STS_PCCND_START	Boolean	B228:28/9	PLC-1	Pump Start Request
STS_PCERROR_CODE	16 bit Integer	B228:29	PLC-1	Pump Error Code
CMD_PCOP_CMD_STOP	Boolean	B229:2/0	PLC-1	Operator Stop Command
CMD_PCOP_CMD_STRT	Boolean	B229:2/1	PLC-1	Operator Start Command
CMD_PCOP_CMD_CLRF	Boolean	B229:2/3	PLC-1	Operator Clear Faults Command
CMD_PCCFG_RSTPMP	Boolean	B229:15/0	PLC-1	Reset Pump Fault
CMD_PCCFG_FLOCMP	Boolean	B229:15/1	PLC-1	Flow Compensation Enable
CMD_PCCFG_LOPWR	Boolean	B229:15/2	PLC-1	Low Power Detect Enable
CMD_PCCFG_LOSPD	Boolean	B229:15/3	PLC-1	Low Speed Detect Enable
CMD_PCCFG_AUTSP	Boolean	B229:15/4	PLC-1	Auto Setpoint Enable
CMD_PCCFG_FWD	Boolean	B229:15/6	PLC-1	Forward Direction Select
CMD_PCFNC_LOFLO	16 bit Integer	B229:16	PLC-1	Low/No-Flow Function Function 0=Off, 1=Alarm, 2=Fault, 3=Sleep
CMD_PCFNC_DRYPMP	16 bit Integer	B229:17	PLC-1	Dry Pump Function Function 0=Off, 1=Alarm, 2=Fault
CMD_PCFNC_RUNOUT	16 bit Integer	B229:18	PLC-1	Run Out Function Function 0=Off, 1=Alarm, 2=Fault
CMD_PCOP_CMD_SPDR_F	Real	F227:0	PLC-1	Speed Reference Command as Float Speed Reference Command as Float
STS_PCREF_SPEED_F	Real	F227:1	PLC-1	Commanded Speed Display as Float
STS_PCSPEED_FDBCK_F	Real	F227:2	PLC-1	Speed Feedback Display as Float
STS_PCPRS_FDBK	Real	F227:6	PLC-1	Pressure Feedback [P]
STS_PCPID_STPT	Real	F227:7	PLC-1	PID Setpoint [P]
STS_PCSPD_50PCT	Real	F227:8	PLC-1	50% Max Speed [Hz]
STS_PCSPD_85PCT	Real	F227:9	PLC-1	85% Max Speed [Hz]
STS_PCOUPT_POWER_F	Real	F227:10	PLC-1	Output Power Display as Float
CMD_PCMIN_SPD	Real	F227:20	PLC-1	Min Speed [Hz]
CMD_PCMA_X_SPD	Real	F227:21	PLC-1	Max Speed [Hz]
CMD_PCPRS_STPT	Real	F227:22	PLC-1	Pressure Setpoint [P]
CMD_PCMA_X_PRSFDBK	Real	F227:23	PLC-1	Max Pressure Feedback at Max Analog Input [P]
CMD_PCRTD_PRS	Real	F227:24	PLC-1	Rated Pressure [P]
CMD_PCNOFLO_PRS	Real	F227:25	PLC-1	No-Flow Pressure [P]
CMD_PCNOFLO_SPD	Real	F227:27	PLC-1	No-Flow Speed [Hz]

CMD_PCLOSPD_LMT	Real	F227:28	PLC-1	Low Speed Limit (>= MIN_SPD) [Hz]
CMD_PCFLO_COMPAPX	Real	F227:29	PLC-1	Flow Compensation Curve Approx [%] Linear-0, Ideal-100
CMD_PCPWR_50PCT	Real	F227:30	PLC-1	No-Flow Output Power at 50% Speed [kW]
CMD_PCPWR_85PCT	Real	F227:31	PLC-1	No-Flow Output Power at 85% Speed [kW]
CMD_PCINIT_RMPTIM	Real	F227:32	PLC-1	Initial Ramp Time [sec]
CMD_PCNORM_RMPTIM	Real	F227:33	PLC-1	Normal Ramp Time [sec]
CMD_PCEND_SPD	Real	F227:34	PLC-1	End Speed [Hz]
CMD_PCEND_RMPTIM	Real	F227:35	PLC-1	End Speed Ramp Time [sec]
CMD_PCMIN_RUNTIM	Real	F227:36	PLC-1	Min Run Delay Time [sec]
CMD_PCLOSPD_TIM	Real	F227:37	PLC-1	Low/No-Flow Delay Time [sec]
CMD_PCWAKE_LVL	Real	F227:38	PLC-1	Wake Level [%]
CMD_PCBOOST_LVL	Real	F227:39	PLC-1	Boost Level [%]
CMD_PCMAx_BSTTIM	Real	F227:40	PLC-1	Max Boost Time [sec]
CMD_PCMin_SLPTIM	Real	F227:41	PLC-1	Min Sleep Time [sec]
CMD_PCROUT_DLYTIM	Real	F227:42	PLC-1	Run Out Delay Time [sec]
CMD_PCDRY_DLYTIM	Real	F227:43	PLC-1	Dry Pump Delay Time [sec]
CMD_PCPID_PROP	Real	F227:44	PLC-1	PID Prop Gain
CMD_PCPID_INTG	Real	F227:45	PLC-1	PID Integ Gain [sec]
CMD_PCPID_DIFF	Real	F227:46	PLC-1	PID Diff Rate [1/sec]
CMD_PCPID_DBND	Real	F227:47	PLC-1	PID Deadband [%]
CMD_PCNOFLO_OFS	Real	F227:48	PLC-1	No-Flow Output Power Curve Offset [%] Default-100
CMD_PC_SCRN_MODE	Boolean	B229:1/0	PLC-1	Screen Mode Control Oper(=1)/Prog(=0)
STS_PCSCRN_DFLT	Boolean	B228:5/6	PLC-1	Drv Faulted=1 AND Pump NOT Faulted
STS_PCSCRN_PRG_SPDRF	Boolean	B228:5/8	PLC-1	Screen Mode Program AND Program Speed Reference Enable d
STS_PCCND_FLOCMP	Boolean	B228:28/10	PLC-1	Flow Compensation Active
STS_PCFAULT_DISPLAY	16 bit Integer	B228:49	PLC-1	Fault Display Word - Displays Both Drive & Pump Faults
STS_PCSCRN_FLT	Boolean	B228:5/9	PLC-1	Drv Faulted=1 AND/OR Pump Faulted

No Memory Tags

Global Tags

Source Tag	System Tag	Destination Tag	Access Type
-	Current User	-	Read
-	Idle Timeout	-	Read/Write
-	Clear All Alarms Status	-	Read
-	Clear All Alarms	-	Write
-	Acknowledge All Alarms	-	Write
-	System Clock - Year	-	Read/Write
-	System Clock - Month	-	Read/Write
-	System Clock - Day	-	Read/Write

-	System Clock - Hour	-	Read/Write
-	System Clock - Minute	-	Read/Write
-	System Clock - Second	-	Read/Write
-	Screen Saver Control	-	Write
-	RAM Size	-	Read
-	Free Storage Memory	-	Read
-	Free Application Memory	-	Read
-	Short Date	-	Read
-	Long Date	-	Read
-	Current Screen Number	CMD_CURRNT_SCRN_NMBR	Read/Write
-	Language	-	Read/Write

SCREEN REPORT

Screen List Report

Name	Number	Description	Rights
Diagnostics	1001	-	-
Alarm Banner	1002	-	-
Screen_32	32	-	-
Network_Overview	31	-	-
Screen_9	9	-	-
Screen_33	33	-	-
Screen_34	34	-	-
Screen_35	35	-	-
Screen_36	36	-	-
Screen_37	37	-	-
Screen_38	38	-	-
Screen_39	39	-	-
Screen_10	10	-	-
Screen_11	11	-	-
Screen_12	12	-	-
Screen_13	13	-	-
Screen_14	14	-	-
Screen_15	15	-	-
Screen_16	16	-	-

Screen Shots

Diagnostics





Alarm Banner

AckClearClose

Screen_32

Fault Type, Description & ActionX

Network_Overview

Network OverviewX

#1 Disabled	Pump # 1	Pump # 5	#5 Disabled
#2 Disabled	Pump # 2	Pump # 6	#6 Disabled
#3 Disabled	Pump # 3	Pump # 7	#7 Disabled
#4 Disabled	Pump # 4	Pump # 8	#8 Disabled

Screen_9

Pump #1X

Lost Communications to Device

Ready☐

Running☐

Flow Comp☐

Boost☐

Sleep☐

No/Low-Flow☐

Dry Pump☐

Run-Out☐

Prs Stpt (P)

.00

Prs Ref (P)

.00

Prs Fbk (P)

Spd Ref (Hz)

Spd Fbk (Hz)

Config

Clear Drive Fault

Clear Pump Fault

Manual SP

Start

Stop

Program

Screen_33

Configuration

X

Reverse

Pump Direction

Min Spd (Hz)

Max Spd (Hz)

Max Prs Fbk (P)

Acc/Dec

PID

Flow Comp

No-Flow/
Dry Pump

Sleep Mode

Run-Out

Screen_34

Acc/Dec Configuration

X

Initial Rmp Time (sec)

Normal Rmp Time (sec)

EndSpd Rmp Time (sec)

EndSpd (Hz)

Screen_35

PID Configuration

X

KP-Prop Gain

KI-Intg Rate (sec)

KD-Diff Rate (1/sec)

Deadband (%)

Screen_36

Flow Compensation

X

Disabled

Flow Comp	Curve Apprx (%)	
<input type="text"/>	<input type="text"/>	<input type="text"/>
No Flow Spd (Hz)	No Flow Prs (P)	Rated Prs (P)

Screen_37

Low/No-Flow & Dry Pump Detection

<input type="button" value="Disabled"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Low Power Detect	NFPwr Offset (%)	NFPwr (kW) @.00Hz	NFPwr (kW) @.00Hz
<input type="button" value="Disabled"/>	<input type="text"/>	<input type="text" value=".00"/>	
Low Speed Detect	Low Spd Limit (Hz)	Output Power (kW)	
<input type="button" value="Off"/>	<input type="text"/>	<input type="button" value="Off"/>	<input type="text"/>
Low/NoFlow Action	Low/NoFlow Delay (sec)	Dry Pump Action	Dry Pump Delay (sec)

Screen_38

Sleep Mode

☐ Sleep Mode Enabled

<input type="text"/>	<input type="text"/>	<input type="text"/>
Min Run Time (sec)	Max Boost Time (sec)	Min Sleep Time (sec)
<input type="text"/>	<input type="text"/>	
Boost Level (%)	Wake Level (%)	

Screen_39

Run-Out/Leak Detection

<input type="button" value="Off"/>	<input type="text"/>
Run-Out Action	Run-Out Delay (sec)

Screen_10

Pump #2		X
Lost Communications to Device		
		Clear Drive Fault
		Clear Pump Fault
Ready <input type="checkbox"/>	Prs Stpt (P)	
Running <input type="checkbox"/>		
Flow Comp <input type="checkbox"/>	.00	Manual SP
Boost <input type="checkbox"/>	Spd Ref (Hz)	Prs Ref (P)
Sleep <input type="checkbox"/>	.00	.00
No/Low-Flow <input type="checkbox"/>	Spd Fbk (Hz)	Prs Fbk (P)
Dry Pump <input type="checkbox"/>		Stop
Run-Out <input type="checkbox"/>	Config	Program

Screen_11

Pump #3		X
Lost Communications to Device		
		Clear Drive Fault
		Clear Pump Fault
Ready <input type="checkbox"/>	Prs Stpt (P)	
Running <input type="checkbox"/>		
Flow Comp <input type="checkbox"/>	.00	Manual SP
Boost <input type="checkbox"/>	Spd Ref (Hz)	Prs Ref (P)
Sleep <input type="checkbox"/>	.00	.00
No/Low-Flow <input type="checkbox"/>	Spd Fbk (Hz)	Prs Fbk (P)
Dry Pump <input type="checkbox"/>		Stop
Run-Out <input type="checkbox"/>	Config	Program

Screen_12

Pump #4		X
Lost Communications to Device		
		Clear Drive Fault
		Clear Pump Fault
Ready <input type="checkbox"/>	Prs Stpt (P)	
Running <input type="checkbox"/>		
Flow Comp <input type="checkbox"/>	.00	Manual SP
Boost <input type="checkbox"/>	Spd Ref (Hz)	Prs Ref (P)
Sleep <input type="checkbox"/>	.00	.00
No/Low-Flow <input type="checkbox"/>	Spd Fbk (Hz)	Prs Fbk (P)
Dry Pump <input type="checkbox"/>		Stop
Run-Out <input type="checkbox"/>	Config	Program

Screen_13

		X
--	--	---

Pump #5 X

Lost Communications to Device

		Clear Drive Fault
		Clear Pump Fault
Ready <input type="checkbox"/>	Prs Stpt (P)	
Running <input type="checkbox"/>		
Flow Comp <input type="checkbox"/>	.00	Manual SP
Boost <input type="checkbox"/>	Spd Ref (Hz) Prs Ref (P)	Start
Sleep <input type="checkbox"/>	.00 .00	Stop
No/Low-Flow <input type="checkbox"/>	Spd Fbk (Hz) Prs Fbk (P)	
Dry Pump <input type="checkbox"/>		
Run-Out <input type="checkbox"/>	Config	Program

Screen_14

Pump #6 X

Lost Communications to Device

		Clear Drive Fault
		Clear Pump Fault
Ready <input type="checkbox"/>	Prs Stpt (P)	
Running <input type="checkbox"/>		
Flow Comp <input type="checkbox"/>	.00	Manual SP
Boost <input type="checkbox"/>	Spd Ref (Hz) Prs Ref (P)	Start
Sleep <input type="checkbox"/>	.00 .00	Stop
No/Low-Flow <input type="checkbox"/>	Spd Fbk (Hz) Prs Fbk (P)	
Dry Pump <input type="checkbox"/>		
Run-Out <input type="checkbox"/>	Config	Program

Screen_15

Pump #7 X

Lost Communications to Device

		Clear Drive Fault
		Clear Pump Fault
Ready <input type="checkbox"/>	Prs Stpt (P)	
Running <input type="checkbox"/>		
Flow Comp <input type="checkbox"/>	.00	Manual SP
Boost <input type="checkbox"/>	Spd Ref (Hz) Prs Ref (P)	Start
Sleep <input type="checkbox"/>	.00 .00	Stop
No/Low-Flow <input type="checkbox"/>	Spd Fbk (Hz) Prs Fbk (P)	
Dry Pump <input type="checkbox"/>		
Run-Out <input type="checkbox"/>	Config	Program

Screen_16

Pump #8 X

Lost Communications to Device

		Clear Drive Fault
		Clear Pump Fault
Ready <input type="checkbox"/>	Prs Stpt (P)	

Running	<input type="checkbox"/>		
Flow Comp	<input type="checkbox"/>	<input type="text" value="0.00"/>	<input type="text" value="0.00"/>
Boost	<input type="checkbox"/>	<input type="text" value="0.00"/>	<input type="text" value="0.00"/>
Sleep	<input type="checkbox"/>	<input type="text" value="0.00"/>	<input type="text" value="0.00"/>
No/Low-Flow	<input type="checkbox"/>	<input type="text" value="0.00"/>	<input type="text" value="0.00"/>
Dry Pump	<input type="checkbox"/>	<input type="text" value="0.00"/>	<input type="text" value="0.00"/>
Run-Out	<input type="checkbox"/>	<input type="text" value="0.00"/>	<input type="text" value="0.00"/>
		<input type="button" value="Manual SP"/>	<input type="button" value="Start"/>
		<input type="button" value="Stop"/>	<input type="button" value="Config"/>
		<input type="button" value="Program"/>	

Screen Summary Report

Screen: Diagnostics Screen Color: #F8F800						
Object Name	Tag		Position	Size	Touch	Accept Focus
Text_1	-	-	(19,6)	(240,37)	N/A	N/A
Image_1	-	-	(3,4)	(5,5)	N/A	N/A
OK_Btn	-	-	(272,11)	(37,27)	True	False

Screen: Alarm Banner Screen Color: #F80000						
Object Name	Tag		Position	Size	Touch	Accept Focus
Text_2	-	-	(6,4)	(308,15)	N/A	N/A
Ack	-	-	(188,25)	(38,22)	True	False
Clear	-	-	(233,25)	(38,22)	True	False
Close	-	-	(278,25)	(38,22)	True	False

Screen: Screen_32 Screen Color: #F8F8F8						
Object Name	Tag		Position	Size	Touch	Accept Focus
DefaultName_85	-	-	(288,0)	(32,32)	True	False
Text_135	-	-	(1,7)	(282,23)	N/A	N/A
MultiStateIndicator_193	Read Tag	STS_PCFAULT_DISPLAY	(9,49)	(309,190)	N/A	N/A

Screen: Network_Overview Screen Color: #F8F8F8						
Object Name	Tag		Position	Size	Touch	Accept Focus
MultiStateIndicator_175	Read Tag	9_STS_NODE_STS	(1,64)	(77,32)	N/A	N/A
PushButton_156	Write Tag	9_CMD_NODE_ENABL	(1,64)	(77,32)	True	False
MultiStateIndicator_258	Read Tag	10_STS_NODE_STS	(1,100)	(77,32)	N/A	N/A
PushButton_215	Write Tag	10_CMD_NODE_ENABL	(1,100)	(77,32)	True	False
MultiStateIndicator_261	Read Tag	13_STS_NODE_STS	(242,64)	(77,32)	N/A	N/A
PushButton_218	Write Tag	13_CMD_NODE_ENABL	(242,64)	(77,32)	True	False
MultiStateIndicator_264	Read Tag	16_STS_NODE_STS	(242,172)	(77,32)	N/A	N/A
MultiStateIndicator_263	Read Tag	15_STS_NODE_STS	(242,136)	(77,32)	N/A	N/A
MultiStateIndicator_262	Read Tag	14_STS_NODE_STS	(242,100)	(77,32)	N/A	N/A
MultiStateIndicator_260	Read Tag	12_STS_NODE_STS	(1,172)	(77,32)	N/A	N/A
MultiStateIndicator_259	Read Tag	11_STS_NODE_STS	(1,136)	(77,32)	N/A	N/A

PushButton_221	Write Tag	16_CMD_NODE_ENABL	(242,172)	(77,32)	True	False	-
PushButton_220	Write Tag	15_CMD_NODE_ENABL	(242,136)	(77,32)	True	False	-
PushButton_219	Write Tag	14_CMD_NODE_ENABL	(242,100)	(77,32)	True	False	-
PushButton_217	Write Tag	12_CMD_NODE_ENABL	(1,172)	(77,32)	True	False	-
PushButton_216	Write Tag	11_CMD_NODE_ENABL	(1,136)	(77,32)	True	False	-
Text_134	-	-	(26,37)	(268,23)	N/A	N/A	N/A
DefaultName_57	Visibility Tag	9_STS_NODE_ENABLED	(79,64)	(80,32)	True	False	-
DefaultName_58	-	-	(288,0)	(32,32)	True	False	-
DefaultName_59	Visibility Tag	10_STS_NODE_ENABLED	(79,100)	(80,32)	True	False	-
DefaultName_60	Visibility Tag	11_STS_NODE_ENABLED	(79,136)	(80,32)	True	False	-
DefaultName_61	Visibility Tag	12_STS_NODE_ENABLED	(79,172)	(80,32)	True	False	-
DefaultName_62	Visibility Tag	13_STS_NODE_ENABLED	(161,64)	(80,32)	True	False	-
DefaultName_63	Visibility Tag	14_STS_NODE_ENABLED	(161,100)	(80,32)	True	False	-
DefaultName_64	Visibility Tag	15_STS_NODE_ENABLED	(161,136)	(80,32)	True	False	-
DefaultName_65	Visibility Tag	16_STS_NODE_ENABLED	(161,172)	(80,32)	True	False	-

Screen: Screen_9 Screen Color: #F8F8F8							
Object Name	Tag		Position	Size	Touch	Accept Focus	Function Key
Text_203	Visibility Tag	STS_PCSCRN_PRG_SPDRF	(88,155)	(75,18)	N/A	N/A	N/A
NumericDisplay_80	Visibility Tag	STS_PCSCRN_PRG_SPDRF	(88,134)	(75,18)	N/A	N/A	N/A
	Read Tag	STS_PCREF_SPEED_F					
PushButton_279	Visibility Tag	STS_PCSCRN_PROG_PRS	(245,137)	(75,25)	True	False	-
	Indicator Tag	CMD_PCCFG_AUTSP					
	Write Tag	CMD_PCCFG_AUTSP					
MultiStateIndicator_324	Visibility Tag	STS_PCSCRN_DFLT	(4,56)	(236,25)	N/A	N/A	N/A
	Read Tag	STS_PCFAULT_CODE					
DataEntry_12	Visibility Tag	STS_PCSCRN_OPER	(88,130)	(75,25)	True	False	-
	Indicator Tag	STS_PCREF_SPEED_F					
	Write Tag	CMD_PCOP_CMD_SPDR_F					
PushButton_272	Visibility Tag	STS_PCSCRN_OPER	(245,163)	(75,25)	True	False	-
	Write Tag	CMD_PCOP_CMD_STRT					
PushButton_273	Write Tag	CMD_PCOP_CMD_STOP	(245,189)	(75,25)	True	False	-
Text_186	-	-	(0,170)	(58,15)	N/A	N/A	N/A
Text_187	-	-	(0,187)	(58,15)	N/A	N/A	N/A
Text_188	-	-	(0,221)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_325	Read Tag	STS_PCCND_RUNOUT	(59,223)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_326	Read Tag	STS_PCCND_DRYPMP	(59,206)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_327	Read Tag	STS_PCCND_SLEEP	(59,172)	(25,10)	N/A	N/A	N/A
Text_189	-	-	(167,195)	(75,19)	N/A	N/A	N/A

Text_190	Visibility Tag	STS_PCSCRN_PROG_PRS	(167,154)	(75,19)	N/A	N/A	N/A
Text_191	-	-	(88,195)	(75,19)	N/A	N/A	N/A
NumericDisplay_77	Read Tag	STS_PCSPEED_FDBCK_F	(88,175)	(75,18)	N/A	N/A	N/A
NumericDisplay_78	Read Tag	STS_PCPRS_FDBK	(167,175)	(75,18)	N/A	N/A	N/A
NumericDisplay_79	Visibility Tag	STS_PCSCRN_PROG_PRS	(167,133)	(75,18)	N/A	N/A	N/A
	Read Tag	STS_PCPID_STPT					
MultiStateIndicator_329	Read Tag	STS_PCCND_LOFLO	(59,189)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_330	Read Tag	STS_PCNDSTS_RSPNDING	(6,33)	(309,19)	N/A	N/A	N/A
PushButton_277	Indicator Tag	STS_PCSCRN_OPER	(245,215)	(75,25)	True	False	-
	Write Tag	CMD_PC_SCRN_MODE					
DefaultName_104	Visibility Tag	STS_PCSCRN_PROG	(288,0)	(32,32)	True	False	-
Text_192	-	-	(39,8)	(242,26)	N/A	N/A	N/A
PushButton_278	Visibility Tag	STS_PCSCRN_OPER_DFLT	(245,52)	(75,32)	True	False	-
	Indicator Tag	STS_PCSTS_FAULT					
	Write Tag	CMD_PCOP_CMD_CLRF					
Text_193	-	-	(0,153)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_332	Read Tag	STS_PCCND_BOOST	(59,155)	(25,10)	N/A	N/A	N/A
Text_194	-	-	(0,204)	(58,15)	N/A	N/A	N/A
Text_195	-	-	(0,120)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_333	Read Tag	STS_PCCND_RUN	(59,121)	(25,10)	N/A	N/A	N/A
Text_196	-	-	(0,102)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_334	Read Tag	STS_PCCND_READY	(59,104)	(25,10)	N/A	N/A	N/A
Text_197	Visibility Tag	STS_PCSCRN_OPER	(88,155)	(75,18)	N/A	N/A	N/A
DataEntry_13	Visibility Tag	STS_PCSCRN_PRG_MANSP	(167,86)	(75,25)	True	False	-
	Indicator Tag	CMD_PCPRS_STPT					
	Write Tag	CMD_PCPRS_STPT					
Text_198	Visibility Tag	STS_PCSCRN_PRG_MANSP	(167,111)	(75,18)	N/A	N/A	N/A
PushButton_280	Visibility Tag	STS_PCSCRN_OPER_PFLT	(245,85)	(75,32)	True	False	-
	Indicator Tag	STS_PCCND_PMPFLT					
	Write Tag	CMD_PCCFG_RSTPMP					
MultiStateIndicator_335	Visibility Tag	STS_PCCND_PMPFLT	(4,56)	(236,25)	N/A	N/A	N/A
	Read Tag	STS_PCERROR_CODE					
DefaultName_103	Visibility Tag	STS_PCSCRN_FLT	(0,52)	(244,32)	True	False	-
DefaultName_106	-	-	(169,215)	(75,25)	True	False	-
Text_204	-	-	(0,136)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_338	Read Tag	STS_PCCND_FLOCMP	(59,138)	(25,10)	N/A	N/A	N/A

Screen: Screen_33 Screen Color: #F8F8F8						
Object Name	Tag	Position	Size	Touch	Accept Focus	Function Key

Text_199	-	-	(39,8)	(242,26)	N/A	N/A	N/A
DefaultName_107	-	-	(288,0)	(32,32)	True	False	-
PushButton_281	Indicator Tag	CMD_PCCFG_FWD	(1,49)	(75,25)	True	False	-
	Write Tag	CMD_PCCFG_FWD					
Text_200	-	-	(1,74)	(75,28)	N/A	N/A	N/A
DataEntry_14	Indicator Tag	CMD_PCMIN_SPD	(82,49)	(75,25)	True	False	-
	Write Tag	CMD_PCMIN_SPD					
Text_205	-	-	(82,74)	(75,28)	N/A	N/A	N/A
DataEntry_15	Indicator Tag	CMD_PCMAx_SPD	(163,49)	(75,25)	True	False	-
	Write Tag	CMD_PCMAx_SPD					
Text_206	-	-	(163,74)	(75,28)	N/A	N/A	N/A
DataEntry_16	Indicator Tag	CMD_PCMAx_PRsFDBK	(244,49)	(75,25)	True	False	-
	Write Tag	CMD_PCMAx_PRsFDBK					
Text_207	-	-	(244,74)	(75,28)	N/A	N/A	N/A
DefaultName_113	-	-	(1,110)	(75,25)	True	False	-
DefaultName_114	-	-	(82,110)	(75,25)	True	False	-
DefaultName_119	-	-	(1,171)	(75,25)	True	False	-
DefaultName_120	-	-	(82,171)	(75,36)	True	False	-
DefaultName_121	-	-	(163,171)	(75,25)	True	False	-
DefaultName_122	-	-	(244,171)	(75,25)	True	False	-

Screen: Screen_34 Screen Color: #F8F8F8							
Object Name	Tag		Position	Size	Touch	Accept Focus	Function Key
Text_208	-	-	(39,8)	(242,26)	N/A	N/A	N/A
DefaultName_111	-	-	(288,0)	(32,32)	True	False	-
DataEntry_17	Indicator Tag	CMD_PCNORM_RMPTIM	(82,49)	(75,25)	True	False	-
	Write Tag	CMD_PCNORM_RMPTIM					
Text_210	-	-	(82,74)	(75,28)	N/A	N/A	N/A
DataEntry_18	Indicator Tag	CMD_PCEND_RMPTIM	(163,49)	(75,25)	True	False	-
	Write Tag	CMD_PCEND_RMPTIM					
Text_211	-	-	(163,74)	(75,28)	N/A	N/A	N/A
DataEntry_19	Indicator Tag	CMD_PCEND_SPD	(244,49)	(75,25)	True	False	-
	Write Tag	CMD_PCEND_SPD					
Text_212	-	-	(244,74)	(75,28)	N/A	N/A	N/A
DataEntry_20	Indicator Tag	CMD_PCINIT_RMPTIM	(1,49)	(75,25)	True	False	-
	Write Tag	CMD_PCINIT_RMPTIM					
Text_213	-	-	(1,74)	(75,28)	N/A	N/A	N/A

Screen: Screen_35 Screen Color: #F8F8F8
--

Object Name	Tag		Position	Size	Touch	Accept Focus	Function Key
Text_209	-	-	(39,8)	(242,26)	N/A	N/A	N/A
DefaultName_112	-	-	(288,0)	(32,32)	True	False	-
DataEntry_21	Indicator Tag	CMD_PCPID_INTG	(82,49)	(75,25)	True	False	-
	Write Tag	CMD_PCPID_INTG					
Text_214	-	-	(82,74)	(75,28)	N/A	N/A	N/A
DataEntry_22	Indicator Tag	CMD_PCPID_DIFF	(163,49)	(75,25)	True	False	-
	Write Tag	CMD_PCPID_DIFF					
Text_215	-	-	(163,74)	(75,28)	N/A	N/A	N/A
DataEntry_23	Indicator Tag	CMD_PCPID_DBND	(244,49)	(75,25)	True	False	-
	Write Tag	CMD_PCPID_DBND					
Text_216	-	-	(244,75)	(75,28)	N/A	N/A	N/A
DataEntry_24	Indicator Tag	CMD_PCPID_PROP	(1,49)	(75,25)	True	False	-
	Write Tag	CMD_PCPID_PROP					
Text_217	-	-	(1,74)	(75,28)	N/A	N/A	N/A

Screen: Screen_36 Screen Color: #F8F8F8							
Object Name	Tag		Position	Size	Touch	Accept Focus	Function Key
Text_218	-	-	(39,8)	(242,26)	N/A	N/A	N/A
DefaultName_115	-	-	(288,0)	(32,32)	True	False	-
PushButton_282	Indicator Tag	CMD_PCCFG_FLOCMP	(1,49)	(75,25)	True	False	-
	Write Tag	CMD_PCCFG_FLOCMP					
Text_222	-	-	(1,74)	(75,28)	N/A	N/A	N/A
DataEntry_25	Indicator Tag	CMD_PCFLO_COMPAPX	(82,49)	(75,25)	True	False	-
	Write Tag	CMD_PCFLO_COMPAPX					
Text_223	-	-	(82,74)	(75,28)	N/A	N/A	N/A
DataEntry_26	Indicator Tag	CMD_PCNOFLO_SPD	(1,110)	(75,25)	True	False	-
	Write Tag	CMD_PCNOFLO_SPD					
Text_224	-	-	(1,135)	(75,28)	N/A	N/A	N/A
DataEntry_27	Indicator Tag	CMD_PCNOFLO_PRS	(82,110)	(75,25)	True	False	-
	Write Tag	CMD_PCNOFLO_PRS					
Text_225	-	-	(82,135)	(75,28)	N/A	N/A	N/A
DataEntry_28	Indicator Tag	CMD_PCRTD_PRS	(163,110)	(75,25)	True	False	-
	Write Tag	CMD_PCRTD_PRS					
Text_226	-	-	(163,135)	(75,28)	N/A	N/A	N/A

Screen: Screen_37 Screen Color: #F8F8F8							
Object Name	Tag		Position	Size	Touch	Accept Focus	Function Key
Text_219	-	-	(2,8)	(284,26)	N/A	N/A	N/A

DefaultName_116	-	-	(288,0)	(32,32)	True	False	-
PushButton_283	Indicator Tag	CMD_PCCFG_LOPWR	(1,49)	(75,25)	True	False	-
	Write Tag	CMD_PCCFG_LOPWR					
Text_230	-	-	(1,74)	(75,28)	N/A	N/A	N/A
DataEntry_32	Indicator Tag	CMD_PCPWR_50PCT	(163,49)	(75,25)	True	False	-
	Write Tag	CMD_PCPWR_50PCT					
Text_231	-	-	(163,74)	(75,28)	N/A	N/A	N/A
DataEntry_33	Indicator Tag	CMD_PCPWR_85PCT	(244,49)	(75,25)	True	False	-
	Write Tag	CMD_PCPWR_85PCT					
Text_232	-	-	(244,74)	(75,28)	N/A	N/A	N/A
NumericDisplay_81	Read Tag	STS_PCOUPT_POWER_F	(244,110)	(75,25)	N/A	N/A	N/A
Text_233	-	-	(244,135)	(75,28)	N/A	N/A	N/A
PushButton_284	Indicator Tag	CMD_PCCFG_LOSPD	(1,110)	(75,25)	True	False	-
	Write Tag	CMD_PCCFG_LOSPD					
Text_234	-	-	(1,135)	(75,28)	N/A	N/A	N/A
DataEntry_34	Indicator Tag	CMD_PCLOSPD_LMT	(82,110)	(75,25)	True	False	-
	Write Tag	CMD_PCLOSPD_LMT					
Text_235	-	-	(82,135)	(75,28)	N/A	N/A	N/A
Text_236	-	-	(1,195)	(75,28)	N/A	N/A	N/A
DataEntry_35	Indicator Tag	CMD_PCLOSPD_TIM	(82,171)	(75,25)	True	False	-
	Write Tag	CMD_PCLOSPD_TIM					
Text_237	-	-	(82,196)	(75,28)	N/A	N/A	N/A
PushButton_286	Indicator Tag	CMD_PCFNC_LOFLO	(1,171)	(75,25)	True	False	-
	Write Tag	CMD_PCFNC_LOFLO					
Text_238	-	-	(163,195)	(75,28)	N/A	N/A	N/A
DataEntry_36	Indicator Tag	CMD_PCDRY_DLYTIM	(244,171)	(75,25)	True	False	-
	Write Tag	CMD_PCDRY_DLYTIM					
Text_239	-	-	(244,196)	(75,28)	N/A	N/A	N/A
PushButton_287	Indicator Tag	CMD_PCFNC_DRYPMP	(163,171)	(75,25)	True	False	-
	Write Tag	CMD_PCFNC_DRYPMP					
DataEntry_42	Indicator Tag	CMD_PCNOFLO_OFS	(82,49)	(75,25)	True	False	-
	Write Tag	CMD_PCNOFLO_OFS					
Text_246	-	-	(82,74)	(75,28)	N/A	N/A	N/A

Screen: Screen_38 Screen Color: #F8F8F8							
Object Name	Tag		Position	Size	Touch	Accept Focus	Function Key
Text_220	-	-	(39,8)	(242,26)	N/A	N/A	N/A
DefaultName_117	-	-	(288,0)	(32,32)	True	False	-
Text_240	-	-	(35,60)	(100,15)	N/A	N/A	N/A

MultiStateIndicator_339	Read Tag	CMD_PCFNC_LOFLO	(6,62)	(25,10)	N/A	N/A	N/A
DataEntry_37	Indicator Tag	CMD_PCMIN_RUNTIM	(1,110)	(75,25)	True	False	-
	Write Tag	CMD_PCMIN_RUNTIM					
Text_241	-	-	(1,135)	(75,28)	N/A	N/A	N/A
DataEntry_38	Indicator Tag	CMD_PCMAX_BSTTIM	(82,110)	(75,25)	True	False	-
	Write Tag	CMD_PCMAX_BSTTIM					
Text_242	-	-	(82,135)	(75,28)	N/A	N/A	N/A
DataEntry_39	Indicator Tag	CMD_PCMIN_SLPTIM	(163,110)	(75,25)	True	False	-
	Write Tag	CMD_PCMIN_SLPTIM					
Text_243	-	-	(163,135)	(75,28)	N/A	N/A	N/A
Text_244	-	-	(1,195)	(75,28)	N/A	N/A	N/A
DataEntry_40	Indicator Tag	CMD_PCWAKE_LVL	(82,171)	(75,25)	True	False	-
	Write Tag	CMD_PCWAKE_LVL					
Text_245	-	-	(82,196)	(75,28)	N/A	N/A	N/A
DataEntry_41	Indicator Tag	CMD_PCBOOST_LVL	(1,171)	(75,25)	True	False	-
	Write Tag	CMD_PCBOOST_LVL					

Screen: Screen_39 Screen Color: #F8F8F8

Object Name	Tag		Position	Size	Touch	Accept Focus	Function Key
Text_221	-	-	(39,8)	(242,26)	N/A	N/A	N/A
DefaultName_118	-	-	(288,0)	(32,32)	True	False	-
DataEntry_43	Indicator Tag	CMD_PCROUT_DLYTIM	(82,49)	(75,25)	True	False	-
	Write Tag	CMD_PCROUT_DLYTIM					
Text_248	-	-	(82,74)	(75,28)	N/A	N/A	N/A
Text_249	-	-	(1,73)	(75,28)	N/A	N/A	N/A
PushButton_289	Indicator Tag	CMD_PCFNC_RUNOUT	(0,49)	(75,25)	True	False	-
	Write Tag	CMD_PCFNC_RUNOUT					

Screen: Screen_10 Screen Color: #F8F8F8

Object Name	Tag		Position	Size	Touch	Accept Focus	Function Key
Text_250	Visibility Tag	STS_PCSCRN_PRG_SPDRF	(88,155)	(75,18)	N/A	N/A	N/A
NumericDisplay_82	Visibility Tag	STS_PCSCRN_PRG_SPDRF	(88,134)	(75,18)	N/A	N/A	N/A
	Read Tag	STS_PCREF_SPEED_F					
PushButton_290	Visibility Tag	STS_PCSCRN_PROG_PRS	(245,137)	(75,25)	True	False	-
	Indicator Tag	CMD_PCCFG_AUTSP					
	Write Tag	CMD_PCCFG_AUTSP					
MultiStateIndicator_340	Visibility Tag	STS_PCSCRN_DFLT	(4,56)	(236,25)	N/A	N/A	N/A
	Read Tag	STS_PCFAULT_CODE					
DataEntry_44	Visibility Tag	STS_PCSCRN_OPER	(88,130)	(75,25)	True	False	-

	Indicator Tag	STS_PCREF_SPEED_F					
	Write Tag	CMD_PCOP_CMD_SPDR_F					
PushButton_291	Visibility Tag	STS_PCSCRN_OPER	(245,163)	(75,25)	True	False	-
	Write Tag	CMD_PCOP_CMD_STRT					
PushButton_292	Write Tag	CMD_PCOP_CMD_STOP	(245,189)	(75,25)	True	False	-
Text_251	-	-	(0,170)	(58,15)	N/A	N/A	N/A
Text_252	-	-	(0,187)	(58,15)	N/A	N/A	N/A
Text_253	-	-	(0,221)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_341	Read Tag	STS_PCCND_RUNOUT	(59,223)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_342	Read Tag	STS_PCCND_DRYPMP	(59,206)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_343	Read Tag	STS_PCCND_SLEEP	(59,172)	(25,10)	N/A	N/A	N/A
Text_254	-	-	(167,195)	(75,19)	N/A	N/A	N/A
Text_255	Visibility Tag	STS_PCSCRN_PROG_PRS	(167,154)	(75,19)	N/A	N/A	N/A
Text_256	-	-	(88,195)	(75,19)	N/A	N/A	N/A
NumericDisplay_83	Read Tag	STS_PCSPEED_FDBCK_F	(88,175)	(75,18)	N/A	N/A	N/A
NumericDisplay_84	Read Tag	STS_PCPRS_FDBK	(167,175)	(75,18)	N/A	N/A	N/A
NumericDisplay_85	Visibility Tag	STS_PCSCRN_PROG_PRS	(167,133)	(75,18)	N/A	N/A	N/A
	Read Tag	STS_PCPID_STPT					
MultiStateIndicator_344	Read Tag	STS_PCCND_LOFLO	(59,189)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_345	Read Tag	STS_PCNDSTS_RSPNDING	(6,33)	(309,19)	N/A	N/A	N/A
PushButton_293	Indicator Tag	STS_PCSCRN_OPER	(245,215)	(75,25)	True	False	-
	Write Tag	CMD_PC_SCRN_MODE					
DefaultName_123	Visibility Tag	STS_PCSCRN_PROG	(288,0)	(32,32)	True	False	-
Text_257	-	-	(39,8)	(242,26)	N/A	N/A	N/A
PushButton_294	Visibility Tag	STS_PCSCRN_OPER_DFLT	(245,52)	(75,32)	True	False	-
	Indicator Tag	STS_PCSTS_FAULT					
	Write Tag	CMD_PCOP_CMD_CLRF					
Text_258	-	-	(0,153)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_346	Read Tag	STS_PCCND_BOOST	(59,155)	(25,10)	N/A	N/A	N/A
Text_259	-	-	(0,204)	(58,15)	N/A	N/A	N/A
Text_260	-	-	(0,120)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_347	Read Tag	STS_PCCND_RUN	(59,121)	(25,10)	N/A	N/A	N/A
Text_261	-	-	(0,102)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_348	Read Tag	STS_PCCND_READY	(59,104)	(25,10)	N/A	N/A	N/A
Text_262	Visibility Tag	STS_PCSCRN_OPER	(88,155)	(75,18)	N/A	N/A	N/A
DataEntry_45	Visibility Tag	STS_PCSCRN_PRG_MANSP	(167,86)	(75,25)	True	False	-
	Indicator Tag	CMD_PCPRS_STPT					
	Write Tag	CMD_PCPRS_STPT					
Text_263	Visibility Tag	STS_PCSCRN_PRG_MANSP	(167,111)	(75,18)	N/A	N/A	N/A

PushButton_295	Visibility Tag	STS_PCSCRN_OPER_PFLT	(245,85)	(75,32)	True	False	-
	Indicator Tag	STS_PCCND_PMPFLT					
	Write Tag	CMD_PCCFG_RSTPMP					
MultiStateIndicator_349	Visibility Tag	STS_PCCND_PMPFLT	(4,56)	(236,25)	N/A	N/A	N/A
	Read Tag	STS_PCERROR_CODE					
DefaultName_124	Visibility Tag	STS_PCSCRN_FLT	(0,52)	(244,32)	True	False	-
DefaultName_125	-	-	(169,215)	(75,25)	True	False	-
Text_264	-	-	(0,136)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_350	Read Tag	STS_PCCND_FLOCMP	(59,138)	(25,10)	N/A	N/A	N/A

Screen: Screen_11 Screen Color: #F8F8F8							
Object Name	Tag		Position	Size	Touch	Accept Focus	Function Key
Text_265	Visibility Tag	STS_PCSCRN_PRG_SPDRF	(88,155)	(75,18)	N/A	N/A	N/A
NumericDisplay_86	Visibility Tag	STS_PCSCRN_PRG_SPDRF	(88,134)	(75,18)	N/A	N/A	N/A
	Read Tag	STS_PCREF_SPEED_F					
PushButton_296	Visibility Tag	STS_PCSCRN_PROG_PRS	(245,137)	(75,25)	True	False	-
	Indicator Tag	CMD_PCCFG_AUTSP					
	Write Tag	CMD_PCCFG_AUTSP					
MultiStateIndicator_351	Visibility Tag	STS_PCSCRN_DFLT	(4,56)	(236,25)	N/A	N/A	N/A
	Read Tag	STS_PCFAULT_CODE					
DataEntry_46	Visibility Tag	STS_PCSCRN_OPER	(88,130)	(75,25)	True	False	-
	Indicator Tag	STS_PCREF_SPEED_F					
	Write Tag	CMD_PCOP_CMD_SPDR_F					
PushButton_297	Visibility Tag	STS_PCSCRN_OPER	(245,163)	(75,25)	True	False	-
	Write Tag	CMD_PCOP_CMD_STRT					
PushButton_298	Write Tag	CMD_PCOP_CMD_STOP	(245,189)	(75,25)	True	False	-
Text_266	-	-	(0,170)	(58,15)	N/A	N/A	N/A
Text_267	-	-	(0,187)	(58,15)	N/A	N/A	N/A
Text_268	-	-	(0,221)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_352	Read Tag	STS_PCCND_RUNOUT	(59,223)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_353	Read Tag	STS_PCCND_DRYPMP	(59,206)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_354	Read Tag	STS_PCCND_SLEEP	(59,172)	(25,10)	N/A	N/A	N/A
Text_269	-	-	(167,195)	(75,19)	N/A	N/A	N/A
Text_270	Visibility Tag	STS_PCSCRN_PROG_PRS	(167,154)	(75,19)	N/A	N/A	N/A
Text_271	-	-	(88,195)	(75,19)	N/A	N/A	N/A
NumericDisplay_87	Read Tag	STS_PCSPEED_FDBCK_F	(88,175)	(75,18)	N/A	N/A	N/A
NumericDisplay_88	Read Tag	STS_PCPRS_FDBK	(167,175)	(75,18)	N/A	N/A	N/A
NumericDisplay_89	Visibility Tag	STS_PCSCRN_PROG_PRS	(167,133)	(75,18)	N/A	N/A	N/A
	Read Tag	STS_PCPID_STPT					

MultiStateIndicator_355	Read Tag	STS_PCCND_LOFLO	(59,189)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_356	Read Tag	STS_PCNDSTS_RSPNDING	(6,33)	(309,19)	N/A	N/A	N/A
PushButton_299	Indicator Tag	STS_PCSCRN_OPER	(245,215)	(75,25)	True	False	-
	Write Tag	CMD_PC_SCRN_MODE					
DefaultName_126	Visibility Tag	STS_PCSCRN_PROG	(288,0)	(32,32)	True	False	-
Text_272	-	-	(39,8)	(242,26)	N/A	N/A	N/A
PushButton_300	Visibility Tag	STS_PCSCRN_OPER_DFLT	(245,52)	(75,32)	True	False	-
	Indicator Tag	STS_PCSTS_FAULT					
	Write Tag	CMD_PCOP_CMD_CLRF					
Text_273	-	-	(0,153)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_357	Read Tag	STS_PCCND_BOOST	(59,155)	(25,10)	N/A	N/A	N/A
Text_274	-	-	(0,204)	(58,15)	N/A	N/A	N/A
Text_275	-	-	(0,120)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_358	Read Tag	STS_PCCND_RUN	(59,121)	(25,10)	N/A	N/A	N/A
Text_276	-	-	(0,102)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_359	Read Tag	STS_PCCND_READY	(59,104)	(25,10)	N/A	N/A	N/A
Text_277	Visibility Tag	STS_PCSCRN_OPER	(88,155)	(75,18)	N/A	N/A	N/A
DataEntry_47	Visibility Tag	STS_PCSCRN_PRG_MANSP	(167,86)	(75,25)	True	False	-
	Indicator Tag	CMD_PCPRS_STPT					
	Write Tag	CMD_PCPRS_STPT					
Text_278	Visibility Tag	STS_PCSCRN_PRG_MANSP	(167,111)	(75,18)	N/A	N/A	N/A
PushButton_301	Visibility Tag	STS_PCSCRN_OPER_PFLT	(245,85)	(75,32)	True	False	-
	Indicator Tag	STS_PCCND_PMPFLT					
	Write Tag	CMD_PCCFG_RSTPMP					
MultiStateIndicator_360	Visibility Tag	STS_PCCND_PMPFLT	(4,56)	(236,25)	N/A	N/A	N/A
	Read Tag	STS_PCERROR_CODE					
DefaultName_127	Visibility Tag	STS_PCSCRN_FLT	(0,52)	(244,32)	True	False	-
DefaultName_128	-	-	(169,215)	(75,25)	True	False	-
Text_279	-	-	(0,136)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_361	Read Tag	STS_PCCND_FLOCMP	(59,138)	(25,10)	N/A	N/A	N/A

Screen: Screen_12 Screen Color: #F8F8F8							
Object Name	Tag		Position	Size	Touch	Accept Focus	Function Key
Text_280	Visibility Tag	STS_PCSCRN_PRG_SPDRF	(88,155)	(75,18)	N/A	N/A	N/A
NumericDisplay_90	Visibility Tag	STS_PCSCRN_PRG_SPDRF	(88,134)	(75,18)	N/A	N/A	N/A
	Read Tag	STS_PCREF_SPEED_F					
PushButton_302	Visibility Tag	STS_PCSCRN_PROG_PRS	(245,137)	(75,25)	True	False	-
	Indicator Tag	CMD_PCCFG_AUTSP					
	Write Tag	CMD_PCCFG_AUTSP					

MultiStateIndicator_362	Visibility Tag	STS_PCSCRN_DFLT	(4,56)	(236,25)	N/A	N/A	N/A
	Read Tag	STS_PCFAULT_CODE					
DataEntry_48	Visibility Tag	STS_PCSCRN_OPER	(88,130)	(75,25)	True	False	-
	Indicator Tag	STS_PCREF_SPEED_F					
	Write Tag	CMD_PCOP_CMD_SPDR_F					
PushButton_303	Visibility Tag	STS_PCSCRN_OPER	(245,163)	(75,25)	True	False	-
	Write Tag	CMD_PCOP_CMD_STRT					
PushButton_304	Write Tag	CMD_PCOP_CMD_STOP	(245,189)	(75,25)	True	False	-
Text_281	-	-	(0,170)	(58,15)	N/A	N/A	N/A
Text_282	-	-	(0,187)	(58,15)	N/A	N/A	N/A
Text_283	-	-	(0,221)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_363	Read Tag	STS_PCCND_RUNOUT	(59,223)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_364	Read Tag	STS_PCCND_DRYPMP	(59,206)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_365	Read Tag	STS_PCCND_SLEEP	(59,172)	(25,10)	N/A	N/A	N/A
Text_284	-	-	(167,195)	(75,19)	N/A	N/A	N/A
Text_285	Visibility Tag	STS_PCSCRN_PROG_PRS	(167,154)	(75,19)	N/A	N/A	N/A
Text_286	-	-	(88,195)	(75,19)	N/A	N/A	N/A
NumericDisplay_91	Read Tag	STS_PCSPEED_FDBCK_F	(88,175)	(75,18)	N/A	N/A	N/A
NumericDisplay_92	Read Tag	STS_PCPRS_FDBK	(167,175)	(75,18)	N/A	N/A	N/A
NumericDisplay_93	Visibility Tag	STS_PCSCRN_PROG_PRS	(167,133)	(75,18)	N/A	N/A	N/A
	Read Tag	STS_PCPID_STPT					
MultiStateIndicator_366	Read Tag	STS_PCCND_LOFLO	(59,189)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_367	Read Tag	STS_PCNDSTS_RSPNDING	(6,33)	(309,19)	N/A	N/A	N/A
PushButton_305	Indicator Tag	STS_PCSCRN_OPER	(245,215)	(75,25)	True	False	-
	Write Tag	CMD_PC_SCRN_MODE					
DefaultName_129	Visibility Tag	STS_PCSCRN_PROG	(288,0)	(32,32)	True	False	-
Text_287	-	-	(39,8)	(242,26)	N/A	N/A	N/A
PushButton_306	Visibility Tag	STS_PCSCRN_OPER_DFLT	(245,52)	(75,32)	True	False	-
	Indicator Tag	STS_PCSTS_FAULT					
	Write Tag	CMD_PCOP_CMD_CLRF					
Text_288	-	-	(0,153)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_368	Read Tag	STS_PCCND_BOOST	(59,155)	(25,10)	N/A	N/A	N/A
Text_289	-	-	(0,204)	(58,15)	N/A	N/A	N/A
Text_290	-	-	(0,120)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_369	Read Tag	STS_PCCND_RUN	(59,121)	(25,10)	N/A	N/A	N/A
Text_291	-	-	(0,102)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_370	Read Tag	STS_PCCND_READY	(59,104)	(25,10)	N/A	N/A	N/A
Text_292	Visibility Tag	STS_PCSCRN_OPER	(88,155)	(75,18)	N/A	N/A	N/A
DataEntry_49	Visibility Tag	STS_PCSCRN_PRG_MANSP	(167,86)	(75,25)	True	False	-

	Indicator Tag	CMD_PCPRS_STPT					
	Write Tag	CMD_PCPRS_STPT					
Text_293	Visibility Tag	STS_PCSCRN_PRG_MANSP	(167,111)	(75,18)	N/A	N/A	N/A
PushButton_307	Visibility Tag	STS_PCSCRN_OPER_PFLT	(245,85)	(75,32)	True	False	-
	Indicator Tag	STS_PCCND_PMPFLT					
	Write Tag	CMD_PCCFG_RSTPMP					
MultiStateIndicator_371	Visibility Tag	STS_PCCND_PMPFLT	(4,56)	(236,25)	N/A	N/A	N/A
	Read Tag	STS_PCERROR_CODE					
DefaultName_130	Visibility Tag	STS_PCSCRN_FLT	(0,52)	(244,32)	True	False	-
DefaultName_131	-	-	(169,215)	(75,25)	True	False	-
Text_294	-	-	(0,136)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_372	Read Tag	STS_PCCND_FLOCMP	(59,138)	(25,10)	N/A	N/A	N/A

Screen: Screen_13 Screen Color: #F8F8F8							
Object Name	Tag		Position	Size	Touch	Accept Focus	Function Key
Text_295	Visibility Tag	STS_PCSCRN_PRG_SPDRF	(88,155)	(75,18)	N/A	N/A	N/A
NumericDisplay_94	Visibility Tag	STS_PCSCRN_PRG_SPDRF	(88,134)	(75,18)	N/A	N/A	N/A
	Read Tag	STS_PCREF_SPEED_F					
PushButton_308	Visibility Tag	STS_PCSCRN_PROG_PRS	(245,137)	(75,25)	True	False	-
	Indicator Tag	CMD_PCCFG_AUTSP					
	Write Tag	CMD_PCCFG_AUTSP					
MultiStateIndicator_373	Visibility Tag	STS_PCSCRN_DFLT	(4,56)	(236,25)	N/A	N/A	N/A
	Read Tag	STS_PCFAULT_CODE					
DataEntry_50	Visibility Tag	STS_PCSCRN_OPER	(88,130)	(75,25)	True	False	-
	Indicator Tag	STS_PCREF_SPEED_F					
	Write Tag	CMD_PCOP_CMD_SPDR_F					
PushButton_309	Visibility Tag	STS_PCSCRN_OPER	(245,163)	(75,25)	True	False	-
	Write Tag	CMD_PCOP_CMD_STRT					
PushButton_310	Write Tag	CMD_PCOP_CMD_STOP	(245,189)	(75,25)	True	False	-
Text_296	-	-	(0,170)	(58,15)	N/A	N/A	N/A
Text_297	-	-	(0,187)	(58,15)	N/A	N/A	N/A
Text_298	-	-	(0,221)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_374	Read Tag	STS_PCCND_RUNOUT	(59,223)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_375	Read Tag	STS_PCCND_DRYPMP	(59,206)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_376	Read Tag	STS_PCCND_SLEEP	(59,172)	(25,10)	N/A	N/A	N/A
Text_299	-	-	(167,195)	(75,19)	N/A	N/A	N/A
Text_300	Visibility Tag	STS_PCSCRN_PROG_PRS	(167,154)	(75,19)	N/A	N/A	N/A
Text_301	-	-	(88,195)	(75,19)	N/A	N/A	N/A
NumericDisplay_95	Read Tag	STS_PCSPEED_FDBCK_F	(88,175)	(75,18)	N/A	N/A	N/A

NumericDisplay_96	Read Tag	STS_PCPRS_FDBK	(167,175)	(75,18)	N/A	N/A	N/A
NumericDisplay_97	Visibility Tag	STS_PCSCRN_PROG_PRS	(167,133)	(75,18)	N/A	N/A	N/A
	Read Tag	STS_PCPID_STPT					
MultiStateIndicator_377	Read Tag	STS_PCCND_LOFLO	(59,189)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_378	Read Tag	STS_PCNDSTS_RSPNDING	(6,33)	(309,19)	N/A	N/A	N/A
PushButton_311	Indicator Tag	STS_PCSCRN_OPER	(245,215)	(75,25)	True	False	-
	Write Tag	CMD_PC_SCRN_MODE					
DefaultName_132	Visibility Tag	STS_PCSCRN_PROG	(288,0)	(32,32)	True	False	-
Text_302	-	-	(39,8)	(242,26)	N/A	N/A	N/A
PushButton_312	Visibility Tag	STS_PCSCRN_OPER_DFLT	(245,52)	(75,32)	True	False	-
	Indicator Tag	STS_PCSTS_FAULT					
	Write Tag	CMD_PCOP_CMD_CLRF					
Text_303	-	-	(0,153)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_379	Read Tag	STS_PCCND_BOOST	(59,155)	(25,10)	N/A	N/A	N/A
Text_304	-	-	(0,204)	(58,15)	N/A	N/A	N/A
Text_305	-	-	(0,120)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_380	Read Tag	STS_PCCND_RUN	(59,121)	(25,10)	N/A	N/A	N/A
Text_306	-	-	(0,102)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_381	Read Tag	STS_PCCND_READY	(59,104)	(25,10)	N/A	N/A	N/A
Text_307	Visibility Tag	STS_PCSCRN_OPER	(88,155)	(75,18)	N/A	N/A	N/A
DataEntry_51	Visibility Tag	STS_PCSCRN_PRG_MANSP	(167,86)	(75,25)	True	False	-
	Indicator Tag	CMD_PCPRS_STPT					
	Write Tag	CMD_PCPRS_STPT					
Text_308	Visibility Tag	STS_PCSCRN_PRG_MANSP	(167,111)	(75,18)	N/A	N/A	N/A
PushButton_313	Visibility Tag	STS_PCSCRN_OPER_PFLT	(245,85)	(75,32)	True	False	-
	Indicator Tag	STS_PCCND_PMPFLT					
	Write Tag	CMD_PCCFG_RSTPMP					
MultiStateIndicator_382	Visibility Tag	STS_PCCND_PMPFLT	(4,56)	(236,25)	N/A	N/A	N/A
	Read Tag	STS_PCERROR_CODE					
DefaultName_133	Visibility Tag	STS_PCSCRN_FLT	(0,52)	(244,32)	True	False	-
DefaultName_134	-	-	(169,215)	(75,25)	True	False	-
Text_309	-	-	(0,136)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_383	Read Tag	STS_PCCND_FLOCMP	(59,138)	(25,10)	N/A	N/A	N/A

Screen: Screen_14 Screen Color: #F8F8F8

Object Name	Tag		Position	Size	Touch	Accept Focus	Function Key
Text_310	Visibility Tag	STS_PCSCRN_PRG_SPDRF	(88,155)	(75,18)	N/A	N/A	N/A
NumericDisplay_98	Visibility Tag	STS_PCSCRN_PRG_SPDRF	(88,134)	(75,18)	N/A	N/A	N/A
	Read Tag	STS_PCREF_SPEED_F					

PushButton_314	Visibility Tag	STS_PCSCRN_PROG_PRS	(245,137)	(75,25)	True	False	-
	Indicator Tag	CMD_PCCFG_AUTSP					
	Write Tag	CMD_PCCFG_AUTSP					
MultiStateIndicator_384	Visibility Tag	STS_PCSCRN_DFLT	(4,56)	(236,25)	N/A	N/A	N/A
	Read Tag	STS_PCFAULT_CODE					
DataEntry_52	Visibility Tag	STS_PCSCRN_OPER	(88,130)	(75,25)	True	False	-
	Indicator Tag	STS_PCREF_SPEED_F					
	Write Tag	CMD_PCOP_CMD_SPDR_F					
PushButton_315	Visibility Tag	STS_PCSCRN_OPER	(245,163)	(75,25)	True	False	-
	Write Tag	CMD_PCOP_CMD_STRT					
PushButton_316	Write Tag	CMD_PCOP_CMD_STOP	(245,189)	(75,25)	True	False	-
Text_311	-	-	(0,170)	(58,15)	N/A	N/A	N/A
Text_312	-	-	(0,187)	(58,15)	N/A	N/A	N/A
Text_313	-	-	(0,221)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_385	Read Tag	STS_PCCND_RUNOUT	(59,223)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_386	Read Tag	STS_PCCND_DRYPMP	(59,206)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_387	Read Tag	STS_PCCND_SLEEP	(59,172)	(25,10)	N/A	N/A	N/A
Text_314	-	-	(167,195)	(75,19)	N/A	N/A	N/A
Text_315	Visibility Tag	STS_PCSCRN_PROG_PRS	(167,154)	(75,19)	N/A	N/A	N/A
Text_316	-	-	(88,195)	(75,19)	N/A	N/A	N/A
NumericDisplay_99	Read Tag	STS_PCSPEED_FDBCK_F	(88,175)	(75,18)	N/A	N/A	N/A
NumericDisplay_100	Read Tag	STS_PCPRS_FDBK	(167,175)	(75,18)	N/A	N/A	N/A
NumericDisplay_101	Visibility Tag	STS_PCSCRN_PROG_PRS	(167,133)	(75,18)	N/A	N/A	N/A
	Read Tag	STS_PCPIID_STPT					
MultiStateIndicator_388	Read Tag	STS_PCCND_LOFLO	(59,189)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_389	Read Tag	STS_PCNDSTS_RSPNDING	(6,33)	(309,19)	N/A	N/A	N/A
PushButton_317	Indicator Tag	STS_PCSCRN_OPER	(245,215)	(75,25)	True	False	-
	Write Tag	CMD_PC_SCRN_MODE					
DefaultName_135	Visibility Tag	STS_PCSCRN_PROG	(288,0)	(32,32)	True	False	-
Text_317	-	-	(39,8)	(242,26)	N/A	N/A	N/A
PushButton_318	Visibility Tag	STS_PCSCRN_OPER_DFLT	(245,52)	(75,32)	True	False	-
	Indicator Tag	STS_PCSTS_FAULT					
	Write Tag	CMD_PCOP_CMD_CLRF					
Text_318	-	-	(0,153)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_390	Read Tag	STS_PCCND_BOOST	(59,155)	(25,10)	N/A	N/A	N/A
Text_319	-	-	(0,204)	(58,15)	N/A	N/A	N/A
Text_320	-	-	(0,120)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_391	Read Tag	STS_PCCND_RUN	(59,121)	(25,10)	N/A	N/A	N/A
Text_321	-	-	(0,102)	(58,15)	N/A	N/A	N/A

MultiStateIndicator_392	Read Tag	STS_PCCND_READY	(59,104)	(25,10)	N/A	N/A	N/A
Text_322	Visibility Tag	STS_PCSCRN_OPER	(88,155)	(75,18)	N/A	N/A	N/A
DataEntry_53	Visibility Tag	STS_PCSCRN_PRG_MANSP	(167,86)	(75,25)	True	False	-
	Indicator Tag	CMD_PCPRS_STPT					
	Write Tag	CMD_PCPRS_STPT					
Text_323	Visibility Tag	STS_PCSCRN_PRG_MANSP	(167,111)	(75,18)	N/A	N/A	N/A
PushButton_319	Visibility Tag	STS_PCSCRN_OPER_PFLT	(245,85)	(75,32)	True	False	-
	Indicator Tag	STS_PCCND_PMPFLT					
	Write Tag	CMD_PCCFG_RSTPMP					
MultiStateIndicator_393	Visibility Tag	STS_PCCND_PMPFLT	(4,56)	(236,25)	N/A	N/A	N/A
	Read Tag	STS_PCERROR_CODE					
DefaultName_136	Visibility Tag	STS_PCSCRN_FLT	(0,52)	(244,32)	True	False	-
DefaultName_137	-	-	(169,215)	(75,25)	True	False	-
Text_324	-	-	(0,136)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_394	Read Tag	STS_PCCND_FLOCMP	(59,138)	(25,10)	N/A	N/A	N/A

Screen: Screen_15 Screen Color: #F8F8F8							
Object Name	Tag		Position	Size	Touch	Accept Focus	Function Key
Text_325	Visibility Tag	STS_PCSCRN_PRG_SPDRF	(88,155)	(75,18)	N/A	N/A	N/A
NumericDisplay_102	Visibility Tag	STS_PCSCRN_PRG_SPDRF	(88,134)	(75,18)	N/A	N/A	N/A
	Read Tag	STS_PCREF_SPEED_F					
PushButton_320	Visibility Tag	STS_PCSCRN_PROG_PRS	(245,137)	(75,25)	True	False	-
	Indicator Tag	CMD_PCCFG_AUTSP					
	Write Tag	CMD_PCCFG_AUTSP					
MultiStateIndicator_395	Visibility Tag	STS_PCSCRN_DFLT	(4,56)	(236,25)	N/A	N/A	N/A
	Read Tag	STS_PCFAULT_CODE					
DataEntry_54	Visibility Tag	STS_PCSCRN_OPER	(88,130)	(75,25)	True	False	-
	Indicator Tag	STS_PCREF_SPEED_F					
	Write Tag	CMD_PCOP_CMD_SPDR_F					
PushButton_321	Visibility Tag	STS_PCSCRN_OPER	(245,163)	(75,25)	True	False	-
	Write Tag	CMD_PCOP_CMD_STRT					
PushButton_322	Write Tag	CMD_PCOP_CMD_STOP	(245,189)	(75,25)	True	False	-
Text_326	-	-	(0,170)	(58,15)	N/A	N/A	N/A
Text_327	-	-	(0,187)	(58,15)	N/A	N/A	N/A
Text_328	-	-	(0,221)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_396	Read Tag	STS_PCCND_RUNOUT	(59,223)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_397	Read Tag	STS_PCCND_DRYPMP	(59,206)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_398	Read Tag	STS_PCCND_SLEEP	(59,172)	(25,10)	N/A	N/A	N/A
Text_329	-	-	(167,195)	(75,19)	N/A	N/A	N/A

Text_330	Visibility Tag	STS_PCSCRN_PROG_PRS	(167,154)	(75,19)	N/A	N/A	N/A
Text_331	-	-	(88,195)	(75,19)	N/A	N/A	N/A
NumericDisplay_103	Read Tag	STS_PCSPEED_FDBCK_F	(88,175)	(75,18)	N/A	N/A	N/A
NumericDisplay_104	Read Tag	STS_PCPRS_FDBK	(167,175)	(75,18)	N/A	N/A	N/A
NumericDisplay_105	Visibility Tag	STS_PCSCRN_PROG_PRS	(167,133)	(75,18)	N/A	N/A	N/A
	Read Tag	STS_PCPID_STPT					
MultiStateIndicator_399	Read Tag	STS_PCCND_LOFLO	(59,189)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_400	Read Tag	STS_PCNDSTS_RSPNDING	(6,33)	(309,19)	N/A	N/A	N/A
PushButton_323	Indicator Tag	STS_PCSCRN_OPER	(245,215)	(75,25)	True	False	-
	Write Tag	CMD_PC_SCRN_MODE					
DefaultName_138	Visibility Tag	STS_PCSCRN_PROG	(288,0)	(32,32)	True	False	-
Text_332	-	-	(39,8)	(242,26)	N/A	N/A	N/A
PushButton_324	Visibility Tag	STS_PCSCRN_OPER_DFLT	(245,52)	(75,32)	True	False	-
	Indicator Tag	STS_PCSTS_FAULT					
	Write Tag	CMD_PCOP_CMD_CLRF					
Text_333	-	-	(0,153)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_401	Read Tag	STS_PCCND_BOOST	(59,155)	(25,10)	N/A	N/A	N/A
Text_334	-	-	(0,204)	(58,15)	N/A	N/A	N/A
Text_335	-	-	(0,120)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_402	Read Tag	STS_PCCND_RUN	(59,121)	(25,10)	N/A	N/A	N/A
Text_336	-	-	(0,102)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_403	Read Tag	STS_PCCND_READY	(59,104)	(25,10)	N/A	N/A	N/A
Text_337	Visibility Tag	STS_PCSCRN_OPER	(88,155)	(75,18)	N/A	N/A	N/A
DataEntry_55	Visibility Tag	STS_PCSCRN_PRG_MANSP	(167,86)	(75,25)	True	False	-
	Indicator Tag	CMD_PCPRS_STPT					
	Write Tag	CMD_PCPRS_STPT					
Text_338	Visibility Tag	STS_PCSCRN_PRG_MANSP	(167,111)	(75,18)	N/A	N/A	N/A
PushButton_325	Visibility Tag	STS_PCSCRN_OPER_PFLT	(245,85)	(75,32)	True	False	-
	Indicator Tag	STS_PCCND_PMPFLT					
	Write Tag	CMD_PCCFG_RSTPMP					
MultiStateIndicator_404	Visibility Tag	STS_PCCND_PMPFLT	(4,56)	(236,25)	N/A	N/A	N/A
	Read Tag	STS_PCERROR_CODE					
DefaultName_139	Visibility Tag	STS_PCSCRN_FLT	(0,52)	(244,32)	True	False	-
DefaultName_140	-	-	(169,215)	(75,25)	True	False	-
Text_339	-	-	(0,136)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_405	Read Tag	STS_PCCND_FLOCMP	(59,138)	(25,10)	N/A	N/A	N/A

Screen: Screen_16 Screen Color: #F8F8F8

Object Name	Tag	Position	Size	Touch	Accept Focus	Function Key
-------------	-----	----------	------	-------	--------------	--------------

Text_340	Visibility Tag	STS_PCSCRN_PRG_SPDRF	(88,155)	(75,18)	N/A	N/A	N/A
NumericDisplay_106	Visibility Tag	STS_PCSCRN_PRG_SPDRF	(88,134)	(75,18)	N/A	N/A	N/A
	Read Tag	STS_PCREF_SPEED_F					
PushButton_326	Visibility Tag	STS_PCSCRN_PROG_PRS	(245,137)	(75,25)	True	False	-
	Indicator Tag	CMD_PCCFG_AUTSP					
	Write Tag	CMD_PCCFG_AUTSP					
MultiStateIndicator_406	Visibility Tag	STS_PCSCRN_DFLT	(4,56)	(236,25)	N/A	N/A	N/A
	Read Tag	STS_PCFAULT_CODE					
DataEntry_56	Visibility Tag	STS_PCSCRN_OPER	(88,130)	(75,25)	True	False	-
	Indicator Tag	STS_PCREF_SPEED_F					
	Write Tag	CMD_PCOP_CMD_SPDR_F					
PushButton_327	Visibility Tag	STS_PCSCRN_OPER	(245,163)	(75,25)	True	False	-
	Write Tag	CMD_PCOP_CMD_STRT					
PushButton_328	Write Tag	CMD_PCOP_CMD_STOP	(245,189)	(75,25)	True	False	-
Text_341	-	-	(0,170)	(58,15)	N/A	N/A	N/A
Text_342	-	-	(0,187)	(58,15)	N/A	N/A	N/A
Text_343	-	-	(0,221)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_407	Read Tag	STS_PCCND_RUNOUT	(59,223)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_408	Read Tag	STS_PCCND_DRYPMP	(59,206)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_409	Read Tag	STS_PCCND_SLEEP	(59,172)	(25,10)	N/A	N/A	N/A
Text_344	-	-	(167,195)	(75,19)	N/A	N/A	N/A
Text_345	Visibility Tag	STS_PCSCRN_PROG_PRS	(167,154)	(75,19)	N/A	N/A	N/A
Text_346	-	-	(88,195)	(75,19)	N/A	N/A	N/A
NumericDisplay_107	Read Tag	STS_PCSPEED_FDBCK_F	(88,175)	(75,18)	N/A	N/A	N/A
NumericDisplay_108	Read Tag	STS_PCPRS_FDBK	(167,175)	(75,18)	N/A	N/A	N/A
NumericDisplay_109	Visibility Tag	STS_PCSCRN_PROG_PRS	(167,133)	(75,18)	N/A	N/A	N/A
	Read Tag	STS_PCPIID_STPT					
MultiStateIndicator_410	Read Tag	STS_PCCND_LOFLO	(59,189)	(25,10)	N/A	N/A	N/A
MultiStateIndicator_411	Read Tag	STS_PCNDSTS_RSPNDING	(6,33)	(309,19)	N/A	N/A	N/A
PushButton_329	Indicator Tag	STS_PCSCRN_OPER	(245,215)	(75,25)	True	False	-
	Write Tag	CMD_PC_SCRN_MODE					
DefaultName_141	Visibility Tag	STS_PCSCRN_PROG	(288,0)	(32,32)	True	False	-
Text_347	-	-	(39,8)	(242,26)	N/A	N/A	N/A
PushButton_330	Visibility Tag	STS_PCSCRN_OPER_DFLT	(245,52)	(75,32)	True	False	-
	Indicator Tag	STS_PCSTS_FAULT					
	Write Tag	CMD_PCOP_CMD_CLRF					
Text_348	-	-	(0,153)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_412	Read Tag	STS_PCCND_BOOST	(59,155)	(25,10)	N/A	N/A	N/A
Text_349	-	-	(0,204)	(58,15)	N/A	N/A	N/A

Text_350	-	-	(0,120)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_413	Read Tag	STS_PCCND_RUN	(59,121)	(25,10)	N/A	N/A	N/A
Text_351	-	-	(0,102)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_414	Read Tag	STS_PCCND_READY	(59,104)	(25,10)	N/A	N/A	N/A
Text_352	Visibility Tag	STS_PCSCRN_OPER	(88,155)	(75,18)	N/A	N/A	N/A
DataEntry_57	Visibility Tag	STS_PCSCRN_PRG_MANSP	(167,86)	(75,25)	True	False	-
	Indicator Tag	CMD_PCPRS_STPT					
	Write Tag	CMD_PCPRS_STPT					
Text_353	Visibility Tag	STS_PCSCRN_PRG_MANSP	(167,111)	(75,18)	N/A	N/A	N/A
PushButton_331	Visibility Tag	STS_PCSCRN_OPER_PFLT	(245,85)	(75,32)	True	False	-
	Indicator Tag	STS_PCCND_PMPFLT					
	Write Tag	CMD_PCCFG_RSTPMP					
MultiStateIndicator_415	Visibility Tag	STS_PCCND_PMPFLT	(4,56)	(236,25)	N/A	N/A	N/A
	Read Tag	STS_PCERROR_CODE					
DefaultName_142	Visibility Tag	STS_PCSCRN_FLT	(0,52)	(244,32)	True	False	-
DefaultName_143	-	-	(169,215)	(75,25)	True	False	-
Text_354	-	-	(0,136)	(58,15)	N/A	N/A	N/A
MultiStateIndicator_416	Read Tag	STS_PCCND_FLOCMP	(59,138)	(25,10)	N/A	N/A	N/A

COMMUNICATION REPORT

Protocol: Allen-Bradley MicroLogix/ENI

Connection Type: Ethernet

PanelView Component Settings

Optimization Method: Write last value only

Writes per Read: 10

Controller Settings

Name	Controller Type	Address	Description	Port	Request Size
PLC-1	MicroLogix 1400	192.168.1.2	-	44818	232

Timing

Connection Timeout Seconds: 3

Response Timeout Milliseconds: 1000

Fail After: 3

Inter Request Delay Milliseconds: 0

Auto-Demotion

Enabled: False

Ethernet

Use DHCP?: False

LANGUAGE REPORT

Current Language Selections

Terminal Language	Designtime Language	Startup Language	Application Language:
English (United States)	English	English (United States)	English (United States)

Languages on the Terminal

Language Name	Date			Number				
	Long Date:	Short Date:	Short Date Separator:	Decimal Separator:	Thousands Separator:	Negative	Thousands Grouping:	Sample
English (United States)	Saturday, January 06, 2007	1/6/7	/	.	,	-1234	3	-123,456,789.00

Language Name	Time	
	Time:	Time Separator:
English (United States)	1:23:00 AM	:

ALARM REPORT

No Alarms

Global Alarm Settings

Clear Alarm History on PowerOn: False

Alarm History Size (1-100): 50

SETTINGS REPORT**Design Time****Global Application Settings**

Validation Filter : All

Screens Page

Default Font Size : 14

Default Screen Background : #FFFFFF

Default Font Name : Arial

Default Alignment : Center

Default Font Bold : False

Default Font Italic : False

Default Font Underline : False

Default Font Color : #FFFFFF

Run Time**Common**

Set Terminal On First Load : False

Display

Brightness : -

Contrast : -
Screen saver mode : -
Screen saver timeout : -
Input Devices
Key Repeat Rate : -
Key Repeat Delay : -

RECIPE REPORT
No Recipes

SECURITY REPORT

Screen & Input Settings
Idle Time Out Length: 15 minutes
Mask Password Entry: Yes
Password & User Name Type: Alphanumeric Keypad
Design Environment Secured: False

Security Rights

User	Password Modifiable	Rights
		DESIGN
All Users*	False	True